



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.												
10/525,086	02/22/2005	Wolfgang Peter Zink	W1.1968 PCT-US	5958												
7590 Douglas R Hanscom Jones Tullar & Cooper P O Box 2266 Eads Station Arlington, VA 22202		08/24/2007	<table border="1"><tr><td colspan="2">EXAMINER</td></tr><tr><td colspan="2">EVANISKO, LESLIE J</td></tr></table> <table border="1"><tr><td>ART UNIT</td><td>PAPER NUMBER</td></tr><tr><td>2854</td><td></td></tr></table> <table border="1"><tr><td>MAIL DATE</td><td>DELIVERY MODE</td></tr><tr><td>08/24/2007</td><td>PAPER</td></tr></table>		EXAMINER		EVANISKO, LESLIE J		ART UNIT	PAPER NUMBER	2854		MAIL DATE	DELIVERY MODE	08/24/2007	PAPER
EXAMINER																
EVANISKO, LESLIE J																
ART UNIT	PAPER NUMBER															
2854																
MAIL DATE	DELIVERY MODE															
08/24/2007	PAPER															

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.		Applicant(s)	
	10/525,086		ZINK, WOLFGANG PETER	
	Examiner		Art Unit	
	Leslie J. Evanisko		2854	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 April 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 31-59 is/are pending in the application.
- 4a) Of the above claim(s) 31-34 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☒ Claim(s) 35-59 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 February 2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>2/22/05, 4/25/05 & 12/6/05</u> | 6) <input type="checkbox"/> Other: _____ |

EX-PARTE QUAYLE ACTION

1. This application is in condition for allowance except for the following formal matters:

Election/Restrictions

2. Applicant's election without traverse of Group II, claims 35-59 in the reply filed on April 24, 2007 is acknowledged.
3. Claims 31-34 have been withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on April 24, 2007.

Drawings

4. The drawings are objected to because of the following informalities: In Figure 3, it is suggested that the two occurrences of reference numeral 08 be underlined since it appears they are designating a cross-sectional area of the groove.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet,

and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

5. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: Reference character MR in Figure 4 has not been described in the specification. It appears that the applicant may have inadvertently made a typographical error since the specification does define the restoring moment RM (pages 23-24), which does not appear to be otherwise illustrated in the drawings.

Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be

notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

6. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: ejector 86 described on page 42.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

7. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Art Unit: 2854

8. The disclosure is objected to because of the following informalities: There are several typographical errors that need to be corrected, such as the following:

On page 2, line 6, the term "Theplate" should be --The plate--.

On page 2, line 13, after opened, it appears there should be a period.

On page 13, line 11, the term "whichthe" should be --which the--.

On page 15, line 11, the term "customarilya" should be --customarily a--.

On page 20, line 9, the term "Thiscorrespondingly" should be --This correspondingly--.

On page 23, lines 10-11, the phrase "or as an to it" seems to be missing something.

On page 35, line 2, the term "23" should be --83--

Appropriate correction and/or clarification is required.

Claim Objections

9. Claims 35-49 are objected to because of the following informalities:

With respect to claim 35, the term "said transfer cylinders" in each of lines 8 and 19 has no proper antecedent basis and should be replaced with the term --blanket--.

Note a similar problem occurs in line 2 of claim 36.

Appropriate correction and/or clarification is required.

Allowable Subject Matter

10. Claims 35-59 are objected to for the reasons set forth above, but would be allowable if rewritten to overcome the above objections to the satisfaction of the Examiner.

11. The following is a statement of reasons for the indication of allowable subject matter: The prior art of record fails to teach or fairly suggest a printing press having all of the structure as recited, in combination with and particularly including, having means for separating the forme cylinder from the blanket cylinder and first and second printing forme chutes movable between a work position and a rest position and means for moving the one and other of the chutes as specifically recited.

Conclusion

12. Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Leslie J. Evanisko** whose telephone number is **(571) 272-2161**. The examiner can normally be reached on T-F 8:00 am-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2854

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Leslie J. Evanisko/

Leslie J. Evanisko
Primary Examiner
Art Unit 2854

lje
August 24, 2007